



norma

precision for high demands.



Ammunition for hunting and shooting



Norma

- at the hunting's and the marksman's service since 1902.

Norma has been manufacturing ammunition in the beautiful Värmland since 1902, when two Norwegian brothers launched the activity in Åmotfors. Through the years, we have been producing ammunition for both military and civil use. But today we dedicate maximum concentration to civil production. The long experience of ammunition manufacturing, has given the Norma personnel a professional skill that's quite unique. Most of our co-workers are hunters and marksmen themselves and are therefor well familiar with the high demands that every user of hunting- and shooting ammunition has.

The manufacturing facility in Åmotfors is a very scientifically designed operation and allows a flexible production, wich can be easily adjusted to the market's fluctuating needs. The supervision of the production is extensive, with a number of controls and measurments in the production flow. Each cartridge goes through more than 30 quality control inspection stations before it's approved and ready for delivery. A certain number of the finished cartridges are consumed at our own shooting-ranges, so that we can check the ballistic qualities as well as the effectiveness.




Norma of today, is one of Europe's leading manufactures of civil ammunition. Our product are to be found in any situation involving hunting and shooting. We are represented in all parts of the world, with an extensive distribution network of competent and serviceminded wholesale dealers, importers and retailers.

Our business charter puts quality in the seat of honour.

Norma has a reputation of reliability and precision, only because our products are designed to have the best function and accuracy possible. We have a reputation to be proud of and we are going to keep it by providing our clients with superior products and first class service.

BUSINESS CHARTER
"Norma shall develope, manufacture and sell ammunition for hunting and shooting. Our products shall have the highest quality and be superior in accuracy and effectiveness."

Hunting



Calibre	Bullet style/Ref. no.	V ₀	E ₁₀₀	Ball.	Calibre	Bullet style/Ref. no.	V ₀	E ₁₀₀	Ball.
Bullet weight g/gr		f/sec	f. pound	coef.	Bullet weight g/gr		f/sec	f. pond	coef.
.220 Swift	Soft point/15701	4019	1252	.18	7x61 S&H	Soft point/17011	3061	2737	.41
3,2 g/50 gr.					10,0 g/154 gr				
.222 Rem	Soft point/15711	3248	805	.18	7 mm Rem Mag	Soft point/17021	3182	2960	.41
3,2 g/50 gr					10,0 g/154 gr				
.222 Rem	Full jacket/15713	2789	593	.19	7 mm Rem Mag	Vulkan/17024	3018	2845	.35
3,2 g/50 gr					11,0 g/170 gr				
.222 Rem	Soft point/15716	2821	787	.21	7x64	Soft point/17013	2821	2320	.42
4,0 g/62 gr					10,0 g/154 gr				
.22-250	Soft Point/15733	3707	1218	.23	7x64	Vulkan/17018	2756	2362	.35
3,4 g/53 gr					11,0 g/170 gr				
5,6x52R	Soft point	2789	943	.26	7x65 R	Vulkan/17029	2658	3137	.35
4,6 g/71 gr					11 g/170 gr				
5,6x52R	Full jacket/15605	2789	943	.26	.280 Rem	Soft point/17050	2871	2408	.42
4,6 g/71 gr					10,0 g/154 gr				
.243 Win	Full jacket/16002	3100	1777	.35	.280 Rem	Vulkan/17051	2707	2275	.35
6,5 g/100 gr					11,0 g/170 gr				
.243 Win	Soft point/16003	3100	1779	.35	7,5x55 Swiss	Soft point/17511	2651	2370	.40
6,5 g/100 gr					11,7 g/180 gr				
6,5 Jap.	Soft point/16531	2362	1441	.41	7,62 Russian	Soft point/17637	2953	2285	.28
9,0 g/139 gr					9,7 g/150 gr				
6,5 Jap.	Soft point/16532	2067	1160	.32	7,62 Russian	Soft point/17634	2575	2230	.40
10,1 g/156 gr					11,7 g/180 gr				
6,5 Carcano	Soft point/16537	2575	1725	.41	.300 Win Mag	Soft point/17680	3018	3099	.40
9,0 g/139 gr					11,7 g/180 gr				
6,5 Carcano	Soft point/16535	2428	1628	.32	.300 Win Mag	Vulkan/17644	2887	3067	.33
10,1 g/100 gr					13,0 g/200 gr				
6,5x55	Soft point/16553	2526	1657	.41	.30-06	Soft point/17643	2986	2338	.28
9,0 g/139 gr					9,7 g/150 gr				
6,5x55	Vulkan/16558	2854	2036	.32	.30-06	Soft point/17648	2789	2361	.25
9,0 g/139 gr					11,7 g/180 gr				
6,5x55	Nosler/16559	2789	2094	.46	.30-06	Nosler/17649	2789	2665	.43
9,1 g/140 gr					11,7 g/180 gr				
6,5x55	Soft point/16552	2644	1947	.32	.30-06	Vulkan/17659	2789	2499	.31
10,1 g/156 gr					11,7 g/180 gr				
6,5x55	Vulkan/16556	2644	1985	.35	.30-06	Soft point/17682	2461	2030	.40
10,1 g/156 gr					11,7 g/180 gr				
.270 Win	Soft point/16902	3140	2354	.35	.30-06	Vulkan/17684	2641	2533	.34
8,4 g/130 gr					13,0 g/200 gr				
.270 Win	Soft point/16903	2799	2164	.37	.30-30 Win	Soft point/17630	2379	1394	.25
9,7 g/150 gr					9,7 g/150 gr				
7x57	Soft point/17002	2690	2106	.42	.308 Win	Soft point/17624	2887	2180	.28
10,0 g/154 gr					9,7 g/150 gr				
7x57R	Full jacket/17006	2690	2058	.50	.308 Win	Nosler/17635	2641	2386	.44
9,7 g/150 gr					11,7 g/180 gr				
7x57R	Soft point/17005	2625	2001	.42					
10,0 g/154 gr									

Hunting

Calibre	Bullet style/Ref. no	Bullet weight g/gr	V ₀ f/sec	E ₁₀₀ f. pound	Ball. coef.	Calibre	Bullet style/Ref. no	Bullet weight g/gr	V ₀ f/sec	E ₁₀₀ f. pound	Ball. coef.
.308 Win	Soft point/17636	11,7 g/180 gr	2641	2106	.25	8x57 JS	Vulkan/18020	12,7 g/196 gr	2526	2255	.34
.308 Win	Vulkan/17660	11,7 g/180 gr	2641	2222	.30	8x57 JRS	Alaska/18018	12,7 g/196 gr	2395	1968	.30
.308 Win	Soft point/17681	11,7 g/180 gr	2461	2030	.40	.338 Win Mag	Nosler/18502	16,2 g/250 gr	2657	3389	.47
.308 Win	Vulkan/17683	13,0 g/200 gr	2461	2178	.34	.358 Norma Mag	Woodleigh/19005	16,2 g/250 gr	2799	3621	.37
.308 Norma Mag	Soft point/17638	11,7 g/180 gr	3018	3099	.40	.358 Norma Mag	Soft point/19004	16,2 g/250 gr	2799	3345	.26
.308 Norma Mag	Vulkan/17650	13,0 g/200 gr	2903	3067	.33	9,3x57	Vulkan/19305	15,0 g/232 gr	2329	2121	.27
7,65 Arg	Soft point/17701	9,7 g/150 gr	2661	1893	.32	9,3x57	Soft point/19303	18,5 g/286 gr	2067	2183	.36
7,65 Arg	Soft point/17702	11,7 g/180 gr	2592	2284	.42	9,3x62	Vulkan/19317	15,0 g/232 gr	2625	2732	.27
.303 British	Soft point/17712	9,7 g/150 gr	2723	1974	.31	9,3x62	Soft point/19315	18,5 g/286 gr	2362	2889	.36
7,7 Jap	Soft point/17721	8,4 g/130 gr	2953	1993	.29	9,3x74R	Vulkan/19321	15,0 g/232 gr	2625	2732	.27
7,7 Jap	Soft point/17722	11,7 g/180 gr	2493	2105	.42	9,3x74R	Soft point/19320	18,5 g/286 gr	2362	2889	.36
8x57 JS	Soft point/18003	12,7 g/196 gr	2526	2192	.30	.375 H&H	Soft point/19502	19,5 g/300 gr	2549	3260	.25



Weatherby Magnum

Calibre	Bullet style/Ref. no	Bullet weight g/gr	V ₀ f/sec	E ₁₀₀ f. pound	Ball. coef.	Calibre	Bullet style/Ref. no	Bullet weight g/gr	V ₀ f/sec	E ₁₀₀ f. pound	Ball. coef.
.224 WM Norma	Soft point/15740	3,4 g/53 gr	3652	1181	.23	.300 WM Norma	Soft point/17670	9,7 g/150 gr	3599	3464	.29
.240 WM Norma	Soft point/16020	6,5 g/100 gr	3392	2087	.31	.300 WM Norma	Vulkan/17671	11,7 g/180 gr	3300	3551	.31
.257 WM Norma	Soft point/16506	6,5 g/100 gr	3652	2440	.32	.340 WM Norma	Soft point/18605	13,0 g/200 gr	3258	4027	.40
.257 WM Norma	Soft point/16507	7,6 g/117 gr	3402	2222	.21	.340 WM Norma	Woodleigh/18606	16,2 g/250 gr	2999	3784	.24
.270 WM Norma	Soft point/16909	8,4 g/130 gr	3419	2805	.35	.378 WM Norma	Woodleigh/19515	19,5 g/300 gr	2926	4615	.31
.270 WM Norma	Soft point/16910	9,7 g/150 gr	3284	3009	.37	.416 WM Norma	Woodleigh/11067	26,6 g/410 gr	2690	5952	.26
7 mm WM Norma	Soft point/17037	9,7 g/150 gr	3258	3122	.42	.460 WM Norma	Woodleigh/11160	32,4 g/500 gr	2575	5247	.21
7 mm WM Norma	Vulkan/17038	11,0 g/170 gr	3100	2934	.35						

Our bullet types




Soft point

A well designed all-purpose bullet. It ensures good penetration even at long distances. The bullet delivers good mushrooming even on small game. Soft point is an extremely good all-round bullet for small and medium game.



Nosler

An american manufactured bullet with two lead cores. The cores are separated by a partition, the fron core consisting of soft lead allowing a rapid mushrooming, and the rear core of lead alloy retaining its shape even after impact. The design secures a high penetration even in bone.



Alaska

A very stable trajectory. It gives a moderate expansion but good mushrooming. The jacket is reinforced in the rear part. Alaska is a superb bullet for medium and heavy game.



Vulkan

Reinforced by the folded front of the jacket which delays expansion until the bullet has penetrated deeply. The bullet penetrates deeper before the mushrooming occurs. When expansion starts, however, it rapidly reaches double the diameter. This ensures excellent internal energy transfer, even on heavy game. Vulkan have an "Internal locking of the lead" which secures a high rest weight even on hitting bone.



Jaktmatch

- ammunition for practising



Calibre	Bullet type	Bullet weight g/grains	V ₀ f/sec	Ball. coef.
.22 Long Rifle	Lead round nose/15612	2,6 g/40 gr	1066	-
.222 Rem	Full jacket/15715	3,2 g/50 gr	3248	.19
6,5x55	Full jacket/16524	5,2 g/80 gr	2969	.16
6,5x55	Hollow point/16527	6,5 g/100 gr	2625	.35
6,5x55 Elektron	Full jacket/16525	9,0 g/139 gr	2526	.58
7 mm Rem Mag	Full jacket/17026	9,7 g/150 gr	2995	.44
.30-06	Full jacket/17651	9,5 g/146 gr	2772	.42
.308 Win	Full jacket/17622	9,5 g/146 gr	2657	.44
8x57 JS	Full jacket/18009	8,0 g/123 gr	2821	.19
9,3x57	Full jacket/19306	15,0 g/232 gr	2215	.38
9,3x62	Full jacket/19318	15,0 g/232 gr	2510	.38

Sport Shooting



Rifle cartridges			
Calibre/Product name Bullet style/Ref. no	Bullet weight gram/grain	V ₀ f/sec	Ball. coef.
6,5x55 - New Silvertorped Hollow point/16512	9,0 g/139 gr	2624	.51
6,5x55 - Banelit Hollow point/16517	9,0 g/139 gr	2624	.51
6,5x55 - Fältelit Hollow point/16520	9,0 g/139 gr	2788	.51
6,5x55 - Ban VLD Hollow point/16519	8,4 g/130 gr	2690	.50
6,5x55 - Fält VLD Hollow point/16518	8,4 g/130 gr	2887	.59
6,5x55 - Rifle Sport Cartridge Hollow point/16529	6,5 g/100 gr	2625	.35
.308 Win - Match Hollow point Sierra/17679	10,9 g/168 gr	2549	.47
.308 Win - Match Hollow point Sierra/17626	12,3 g/190 gr	2559	.56
Rifle bullets			
6,5 mm Tombak/66516	9,0 g/139 gr		.58
6,5 mm Hollow point (Elit)/66517	9,0 g/139 gr		.51
6,5 mm Hollow point VLD/66507	8,4 g/130 gr		.59
.22 Long Rifle			
Norma 1 Lead, round nose/15613	2,6 g/40 gr		1066
Norma 2 Lead, round nose/15614	2,6 g/40 gr		1066
Norma 3 Lead, round nose/15615	2,6 g/40 gr		1066
Gunpowder			
	Canister		
Rifle sport gunpowder 1220 93220	500 g		
Rifle sport gunpowder 1225 93225	500 g		
Rifle sport gunpowder 1230 93230	500 g		

Pistol- and revolverammunition

Calibre Bullet style/Ref. no Bullet weight g/grains	V ₀ f/sec	E ₁₀₀ f. pound	Calibre Bullet style Bullet weight g/grain	V ₀ f/sec	E ₁₀₀ f. pound
.32 ACP Full jacket round nose/17614 5,0 g/77 gr	899	122	.357 Magnum Soft point flat nose/19107 10,2 g/158 gr	1214	374
.32 S&W Long Lead, wadcutter/17810 6,4 g/98 gr	787	102	.38 Special Security cartridges/19131 8,1 g/125gr	1033	236
9 mm Luger Hollow point/19021 7,4 g/115 gr	1165	236	.38 Special Lead, wadcutter/19110 9,6 g/148 gr	705	138
9 mm Luger Soft point flat nose/19026 7,5 g/116 gr	1165	235	.38 Special Lead, round nose/19112 10,2 g/158 gr	755	174
9 mm TC Auto/19036 8 g/123 gr	1280	249	.38 Special Full jacket semi wc/19114 10,2 g/158 gr	804	198
9 mm TC Luger/19035 8 g/123 gr	1099	215	.38 Special Soft point flat nose/19124 10,2 g/158 gr	804	195
.357 Magnum Security cartridges/19104 8,1 g/125 gr	1673	490	10 mm Auto Hollow point/11002 11,0 g/170 gr	1299	407
.357 Magnum Hollow point/19101 10,2 g/158 gr	1214	374	10 mm Auto Truncated cone/11001 13,0 g/200 gr	1115	427
.357 Magnum Full jacket semi wc/19106 10,2 g/158 gr	1214	368	.44 Magnum Power Cavity/11103 15,6 g/240 gr	1280	591

Competition ammunition



Powders		
Powder type	Ref. no	Canister
200 Norma	93200-5	500 g
201 Norma	93201-5	500 g
202 Norma	93202-5	500 g
204 Norma	93204-5	500 g
MRP Norma	93215-5	500 g
R-1 Norma	91101-5	250 g
R-123 Norma	91123-5	250 g

Cases		
Calibre	Ref. no	Pcs/box
.222 Rem	25711	20
.22-250	25731	20
.243 Win	26001	20
6,5x55	26551	20
.270 Win	26901	20
7x57R	27004	20
7x61 Super	27011	20
7x64	27012	20
.280 Rem	27050	20
7 mm Rem Mag	27021	20
.308 Win	27623	20
.30-30 Win	27630	20
.308 Norma Mag	27637	20
.30-06	27640	20
.300 Win Mag	27666	20
.303 British	27711	20
.32 S&W Long	27811	50
8x57 JS	28001	20
.338 Win Mag	28504	20
.358 Norma Mag	29001	20
9 mm Luger	29021	50
.357 Magnum	29101	50
.38 Special	29110	50
9,3x57	29301	20
9,3x62	29311	20
9,3x74R	29321	20
.375 H&H	29501	20
10 mm auto	21001	50
.44 magnum	21101	50

Cases Weatherby Mag		
Calibre	Ref. nr	Pcs/box
.224 WM Norma	25740	20
.240 WM Norma	26020	20
.257 WM Norma	26502	20
.270 WM Norma	26912	20
7 mm WM Norma	27032	20
.300 WM Norma	27660	20
.340 WM Norma	28602	20
.378 WM Norma	29512	20
.416 WM Norma	21065	20
.460 WM Norma	21160	20

Bullets 100 bullet/box							
Calibre	Ref. no	Weight	Bullet style	Calibre	Ref. no	Weight	Bullet style
5,6 mm .228"	65604 65605	71 71	Soft point semi p Full jacket semi p	.303 .311"	67701 67713	150 180	Soft point semi p Soft point semi p
.22 cal .224"	65701 65702 65704 65705	50 50 53 62	Soft point semi p Full jacket semi p Soft point Spire p Soft point	.32 cal	67810	98	Lead wadcutter
6 mm .224"	66002 66003	100 100	Full jacket semi p Soft point semi p	8 mm S .323"	68003 68020	196 196	Soft point Alaska Vulkan
6,5 mm 264"	66520 66516 66517 66531 66533 66532 66535 66507	100 139 139 139 139 156 156 ??	Hollow point Full jacket pointed Hollow point Soft point semi p Vulkan Soft point nose Vulkan Hollow point VLD	9 mm .365"	69021 69026 69027	115 116 ?	Soft point hollow Soft point flat nos Full jacket TC
.270 cal .227"	66902 66903	130 150	Soft point semi p Soft point semi p	.38 cal	69123 69110 69101 69107 69106 69112	110 148 158 158 158 158	Soft point hollow Lead wadcutter Soft point hollow Soft point Full jacket semi WC Lead round nose
7 mm .283"	67003 67033 67006	150 154 170	Full jacket semi p Soft point Vulkan	9,3 mm .365"	69305 69306 69316	232 232 286	Vulkan Full jacket semi p Soft point Alaska
.30 cal .308"	67610 67651 67624 67630 67625 67648 67653 67654	77 146 150 150 180 180 180 200	Full jacket round n Full jacket pointed Soft pointed sem Soft point flat no Soft point semi p Soft point Alaska Vulkan Vulkan	10 mm	61002 61001	165 200	Hollow point Full jacket
				.44 cal	61103	240	Power Cavity

Reloading



Norma representatives:

ARGENTINE

Pablo Llosas S A

P O Box 99
1433 - Suc. 33
1000 Buenos Aires
Telephone +54 1 812 7469
Telefax +54 1 362 2300

AUSTRALIA

H M Stewart Pty Ltd

5 Kiama Street
Miranda 2228, NWS
Telephone +61 2544 7900
Telefax +61 2544 7766

AUSTRIA

Sarnitz GmbH

P O Box 111
A-1191 Wien
Telephone +43 222 363250
Telefax +43 222 376094

BELGIUM

S A Gunmark N V Benelux

Rue Fond des Tawes, 47
B-4000 Liege
Telephone +32 41 274970
Telefax +32 41 274894

CANADA

Martinello Importing Co

21 Goodrich Road, Unit 4
Toronto, Ontario M8Z 6A3
Telephone +1 416 255 0667
Telefax +1 416 255 5063

DENMARK

Norma Precision AB

Salgskontor Danmark
Praestebjergvej 8
DK-4540 Fårevejle
Telephone +45 59 653255
Telefax +45 59 655395

FINLAND

Urheilun & Kalastus OY

Ilmarinkatu 10
FIN-90120 Oulu
Telephone +358 81 3117220
Telefax +358 81 3117244

FRANCE

Europ Arm S A

B P 25, Route de Laval z.l.
F-72200 La Fleche
Telephone +33 43 940831
Telefax +33 43 942148

Société Sidam

10, Chemin du Pic d' Etienne
F-30600 Vauvert
Telephone +33 66 882906
Telefax +33 66 883762

Jean-Claude Drignon

12, Rue de Frévat
F-02160 Roucy
Telephone +33 23 207076
Telefax +33 23 207077

GERMANY

Albrecht Kind GmbH & Co

Postfach 310283 Gummersbach
D-51617
Telephone +49 2261 705-0
Telefax +49 2261 73540

Eduard Kettner GmbH

Postfach 101165
D-50460 Köln
Telephone +49 221 5965-4
Telefax +49 221 5965 275

Frankonia Jagd

Postfach 6780
D-97064 Würzburg 2
Telephone +49 9302 2074
Telefax +49 9302 20200

Gustav Jehn oHG

Postfach 1827
D-59528 Lippstadt
Telephone +49 2941 29090
Telefax +49 2941 23418

GREAT BRITAIN

Dynamit Nobel RWS (UK) Ltd

Upton Cross
Liskeard
Cornwall PL 14 5BQ
Telephone +44 579 62319
Telefax +44 579 63303

HOLLAND

Dorhout Mees b.v

Strandgaperweg 30
NL-8256 PZ Biddinghuizen
Telephone +31 3211 1707
Telefax +31 3211 1057

HUNGARY

Diana

Wesselényi u. 74
H-1074 Budapest VII
Telephone +36 1 1179701
Telefax +36 1 1170435

ITALY

Bignami SpA

Via Lahn 8
I-39040 Ora (BZ)
Telephone +39 471 810644
Telefax +39 471 810899

NAMIBIA

The Gun Shop

P O Box 20635
Windhoek
Telephone +264 61 227655
Telefax +264 61 234757

NEW ZEALAND

C R Pain Ltd

P O Box 256
Auckland 1
Telephone +64 937 89582
Telefax +64 937 84864

NORWAY

A/S Norma Projektilfabrik

Postboks 40 Refstad
N-0513 Oslo 5
Telephone +47 22 228790
Telefax +47 22 712260

PORTUGAL

Intercaca Lda

Av. Infante Santo 32-40A
P-1300 Lisbon
Telephone +351 1 603521
Telefax +351 1 3953080

SPAIN

Excopesa

P O Box 428
E-24080 Leon
Telephone +34 87 215270
Telefax +34 87 216922

SWEDEN

HDF-Bolagen AB

Svarvaregatan 5, Box 525
S-301 80 Halmstad
Telephone +46 35 154400
Telefax +46 35 121780

Järnia AB

S-523 85 Ulricehamn
Telephone +46 321 28000
Telefax +46 321 28184

Husqvarna Vapen

S-561 81 Huskvarna
Telephone +46 36 146000
Telefax +46 36 141185

SWITZERLAND

Glaser Handels AG

Postfach 986
CH-8401 Winterthur
Telephone +41 52 2123123
Telefax +41 52 2123125

USA

Dynamit Nobel-RWS Inc.

81 Ruckman Road
Closter, NJ 07624
Telephone +1 201 767 1995
Telefax +1 201 767 1589

The Paul Company Inc.

RR 1 Box 177A
Wellsville, KS 66092
Telephone +1 913 883 4444
Telefax +1 913 883 2525

*We retain the right to alter any
product specifications and
appearance without notice.*



norma

Norma Precision AB

S-670 40 Åmotfors Sweden
Telephone +46 571 315 00
Telefax +46 571 315 40

norma

precision for high demands.




6 mm Norma BR is a new Diamond Line long range cartridge, designed as an extreme accuracy cartridge. The coated bullet reduces friction and fouling while decreasing barrel wear.

This cartridge has very mild recoil while winddrift is about 20 % less than the .308 Winchester.

Shooters have given this cartridge wide publicity in their appreciation of the superior performance.

6 mm Norma BR is definitely here to stay.

**60 shot Test target
300 m (328 yards)**



This test target is shot at 300 m (328 yards) with the first factory loaded batch. 58 of the 60 shots are "Inner Tens". The diameter of the inner circle is 2 inches.



Technical data


Velocity	2822 fps
Bullet	Sierra 107 gr. Diamond Line
O.A.L	2.37 inches
Pressure	55100 psi (inside case)
Powder	New Norma 203
Powd. weight	30.8 gr

- ✓ Reduces pressure
- ✓ Reduces friction
- ✓ Reduces fouling
- ✓ Makes cleaning easier
- ✓ Enhanced accuracy
- ✓ Decreases barrel wear

For bench rest shooters:

**MAXIMUM
ACCURACY WITH
NORMA**

**6 PPC
USA!**



The famous PPC (Pindell-Palmisano Corporation) case is now produced by Norma.

This case was developed to give maximum accuracy for bench rest shooters. More than 90% of all world records in bench rest shooting has been shot with this case. It has totally dominated accuracy shooting up to 200 meters for the last 15 years.

- Norma now produces PPC cases in co-operation with Dr Louis Palmisano, which is a guarantee for matching quality demands.
- The case is considerably harder than normal cases in order to minimize stretching.
- Flash hole is only 1.6 mm which ensures good ignition of the powder.
- Variation in case wall thickness is held to a minimum.
- No other PPC case on the market has higher volume than ours.
- For handloaders we recommend Norma 201 powder – the most preferred powder by bench rest shooters.

Cases and loaded ammunition are available in .22 PPC USA and 6 PPC USA. Sierra Match Kings in 52 grains and 70 grains are used.

norma

Norma Precision AB

S-670 40 Åmotfors, Sweden
Tel. +46 571-308 20 • Telefax +46 571-309 07

